FRÍANT

ALL
WORKSTYLES
WELCOME

SYSTEM 2

THE SOLUTION
TO YOUR OFFICE
SYSTEM

A time-honored classic and our most easy to install system, available in only 10 days.

System 2 is a monolithic panel system featuring full length steel and aluminum connectors, and can easily be installed by one person. Our honeycomb core construction meets or exceeds industry standards for strength and longevity. We stand behind System 2 with a lifetime warranty to its original owner.

WORKSURFACE FINISHES

M1	M2	M3	M4	M5	M6	M7	M8	M9
M10	M11	M12	M13	M14	M15	M16	M17	M18
M19	M20	M21	M22	M23	M24	M25	M26	M27
M28	M29							

■ **10DAY** QUICKSHIP

Images are printed simulations and are not exact matches of finished product. Please request actual samples from Friant or your sales consultant before specifying finishes.

TYPICALS

7X7, 47H/67H SHARED HALF CIRCLE

- Dual height panels
- Overhead flipper units
- Box/File mobile pedestal

$5,584 LIST
per station, based on 4 pack

6X7, SINGLE STATION

- Partial glazed panels
- Overhead flipper units
- Markerboard
- Box/Box/File mobile pedestal

$8,973 LIST

6X8, ASYMMETRICAL

- Partial glazed and fabric panels
- Asymmetrical worksurface with dual column legs
- Full height shelves and flipper units
- Freestanding lateral file

$7,812 LIST
per station, based on 4 pack

FEATURES & BENEFITS

- 40 finish choices on Quickship
- Partial glazed panels
- Frameless glass available
- Powered and non-powered panels
- Laminate, fabric and acoustical panels
- Four paint finishes, three base finishes
- Lifetime Warranty to original owner

GENERAL DIMENSIONS

Fabric & Hard-Surface Panels
    H: 32, 39, 47, 53, 62, 67, 85   D: 3.5
    W: 12, 18, 24, 30, 36, 42, 48, 60

Acoustical Panels
    H: 53, 62, 67, 85   D: 3.5
    W: 12, 18, 24, 30, 36, 42, 48, 60

Partially Glazed Panels
    H: 53, 67, 85   D: 3.5
    W: 24, 30, 36, 42 ,48, 60

ELECTRICAL/ TECHNICAL

- Pre-installed 8-wire, 4 20-amp circuits, with easy connections
- Floor or ceiling connectivity
- Cable lay-in capability – large 5" x 2.5" base with hinged base covers allow for large quantities of cables
- Upward of 70 Cat 5 cables in powered base, 100 cables in non-powered base

ENVIRONMENT

- Certified by MAS for minimal off gassing (2010)
- Up to 75% recyclable (all materials except wood are recyclable due to its finishes and adhesives)
- Up to 45% recycled content (30% pre-consumer plus 15% post-consumer) in a typical configuration
- May contribute to LEED points

QUICKSHIP PROGRAM

- Available in 10 day at reduced pricing from Standard
- Maximum 50 stations; larger orders may have an increased lead time
- 24 hour window for changes/corrections on 10 Day orders
- Quickship orders may not be combined with standard lead time orders — a separate P.O. is required